



























	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	MT	fold out and tilting mouse tray for right hand or left hand <i>FOR USE WITH KBP, FIELD INSTALLATION ONLY</i>				class 100 cwt 5 lb cu ft .5	169	183
	CDP	center drawer black plastic	19	24.3	1.8	class 100 cwt 5 lb cu ft 1	186	186
	CDP-I <i>FACTORY INSTALLED</i>	center drawer black plastic <i>CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED.</i>					186	186
	CDP-14	center drawer black plastic for use with 20" units	17	14	1.8	class 100 cwt 5 lb cu ft 1	186	186
	CDP-14-I <i>FACTORY INSTALLED</i>	center drawer black plastic for use with 20" units <i>CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED.</i>					186	186
	CDA-24	wood center drawer	20	20	2	class 100 cwt 8 lb cu ft 1	263	283
	KBCD-I <i>FACTORY INSTALLED ONLY SPECIFY GROMMET LOCATION</i>	keyboard drawer with lock styled as center drawer with drop front drawer pulls out for keyboard use	14	(fitted to unit) 4			552	552
	KBP	plastic keyboard platform <i>ARTICULATING KEYBOARD CONTROLS HEIGHT ADJUSTMENT FROM 26.5" - 29"</i>	11	23	1.25	class 100 cwt 10 lb cu ft .5	356	395
	KBP-I <i>FACTORY INSTALLED</i>	plastic keyboard platform <i>ARTICULATING KEYBOARD CONTROLS HEIGHT ADJUSTMENT FROM 26.5" - 29"</i> <i>CANNOT BE FACTORY INSTALLED IN BRIDGES, CORNER UNITS OR ANY TREK 2500 SURFACES. PLEASE SPECIFY UNIT ON WHICH TO BE INSTALLED</i>					356	395








accessories

	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	KBMT	keyboard mechanism with clamp tray adjustable wrist rest and swivel mouse arm; black <i>HEIGHT ADJUSTABLE FROM 26.5" TO 29"</i>				class 100 cwt 15 lb cu ft 1	637	689
	KBMT-I <i>FACTORY INSTALLED</i>	keyboard mechanism with clamp tray adjustable wrist rest and swivel mouse arm; black <i>HEIGHT ADJUSTABLE FROM 26.5" TO 29"</i>					637	689
	LTKB	laptop keyboard holder slides back into kneespace when lap top is closed; adjustable height and tilt; side clamps adjust to individual lap top size; black					559	604
	LTKB-I <i>FACTORY INSTALLED</i>	laptop keyboard holder slides back into kneespace when lap top is closed; adjustable height and tilt; side clamps adjust to individual lap top size; black				class 100 cwt 10 lb cu ft .5	559	604
	KBKM	keyboard mechanism with articulating control mechanism clamps on to keyboard; eliminates the need for trays to hold keyboard; keyboard is mounted under work surface; black <i>HEIGHT ADJUSTABLE FROM 26.5" TO 29"</i>	10	-	4.25	class 100 cwt 10 lb cu ft .5	295	319
	KBKM-I <i>FACTORY INSTALLED</i>	keyboard mechanism with articulating control mechanism clamps on to keyboard; eliminates the need for trays to hold keyboard; keyboard is mounted under work surface; black <i>HEIGHT ADJUSTABLE FROM 26.5" TO 29"</i>	10	-	4.25		295	319
	RGS-I <i>FACTORY INSTALLED ONLY SPECIFY LOCATION</i>	rectangular black grommet accepts almost any size plug or cords	4	2	-	<i>CAP REVEALS: 3.6 X 1.6 OPENING WITH A 3 X .75</i>	147	147
	WMC-30	wire/cable management conduit 2.25" x 1" black plastic wire/cable conduit; secures to kneespace or under tops with double sided tape; top opens for wires/cables to slip in and be concealed; customer can cut to length	-	30	-		28	28
	TL24 <i>FIELD INSTALLED ONLY</i>	task light for use with overhead storage units	7	24	2	class 100 cwt 11 lb cu ft 1	315	343

	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	CPU <i>FIELD INSTALLED ONLY</i>	vertical off the floor fixed mount CPU holder 360° swivel supports up to 45 lbs steel construction, black finish	<i>VERTICAL STORAGE:</i> 14.5 - 22.5" <i>HORIZONTAL ADJUSTMENT:</i> 5.25 - 9.5"	class 100 cwt 15 lb cu ft 1	368	368
	CPU-T <i>FIELD INSTALLED ONLY</i>	vertical off the floor fixed mount CPU holder 360° swivel supports up to 45 lbs steel construction, black finish *for thinner CPU's	<i>VERTICAL STORAGE:</i> 14.5 - 22.5" <i>HORIZONTAL ADJUSTMENT:</i> 2.75 - 5.5"	class 100 cwt 15 lb cu ft 1	358	358
	PSU	personal storage units universal style horizontal or vertical positioning	12 15.5 21.75	class 125 cwt 20 lb cu ft 2	637	687
	USU72-I <i>FACTORY INSTALLED ONLY</i>	underside paper storage unit mounts under overhead cabinet four storage compartments; does not prevent the use of task lights or tack boards; not available on wall mount units	15.5 70 4		469	505
	USU66-I <i>FACTORY INSTALLED ONLY</i>	underside paper storage unit mounts under overhead cabinet four storage compartments; does not prevent the use of task lights or tack boards; not available on wall mount units	15.5 64 4		469	505
	PPM	pop-up power supply management. three 10 amp circuit breaker simplex outlets; black	6 FOOT POWER CORD		416	416
	PPM-I <i>FACTORY INSTALLED PLEASE SPECIFY LOCATION</i>	pop-up power supply management. three 10 amp circuit breaker simplex outlets; one adapter face plate; black	6 FOOT POWER CORD		416	416
	PPC	pop-up power supply management. two 10 amp circuit breaker simplex outlets; one adapter face plate; one voice/data adapter kit to accept voice/data couplers and jacks (sold separately) separates power and data; black	6 FOOT POWER CORD		416	416
	PPC-I <i>FACTORY INSTALLED PLEASE SPECIFY LOCATION</i>	pop-up power supply management. two 10 amp circuit breaker simplex outlets; one adapter face plate; one voice/data adapter kit to accept voice/data couplers and jacks (sold separately) separates power and data; black	6 FOOT POWER CORD		416	416

accessories

	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	PCC	pop-up power and communications center. three 15 amp simplex outlets; two adapter face plates; two voice/data adapter kit to accept voice/data couplers and jacks (sold separately) 10 amp circuit breaker; black	6 FOOT POWER CORD		469	469
	PCC-I <i>FACTORY INSTALLED</i> PLEASE SPECIFY LOCATION	pop-up power and communications center. three 15 amp simplex outlets; two adapter face plates; two voice/data adapter kit to accept voice/data couplers and jacks (sold separately) 10 amp circuit breaker; black	6 FOOT POWER CORD		469	469
	PCH <i>UL NETED</i> <i>CSD CERTIFIED</i> FIELD INSTALLED ONLY	power communications harness mounts in any knee-well or any panel 13 amp circuit breaker; 120 volt, 60 hz, 13 amp ratings; 10' power cord; 105 c; 16/3 13 amp; 14' telephone hook up for phone; modem or fax; black			250	250
	FPM	flip-up power management with two simplex outlets and two two communication blanks; black			507	507
	FPM-I <i>FACTORY INSTALLED</i> PLEASE SPECIFY LOCATION	flip-up power management with two simplex outlets and two RJ45 outlets; black			507	507
	BRKIT1	18" brush wire management grommet			484	484
	BRKIT1-I <i>FACTORY INSTALLED</i> PLEASE SPECIFY LOCATION	18" brush wire management grommet			484	484
	BRKIT2	two 18" brush wire management grommets			929	929
	BRKIT2-I <i>FACTORY INSTALLED</i> PLEASE SPECIFY LOCATION	two 18" brush wire management grommets			929	929

	model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
	Nester	nester, double leg 2" dia. standard column recessed latches attach to table top powder coat black finish only	available for 18, 24, 30, 36", 48, 60, 72" w tops	class 125 cwt 15 lb cu ft 1	625	675
	Nester-MH	modesty hinge			155	167
	WMTB-72 - _ - _	72" wide wall mount bulletin board tackboard; wood frame with khaki color fabric standard please specify edge option <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	1.25 72 18.5 <i>COM YARDAGE:</i> 2.5 YARDS	class 125 cwt 15 lb cu ft 1	Gr 1 631 Gr 2 638 Gr 3 658 Gr 4 666 Gr 5 679 Gr 6 689 Gr 7 700	Gr 1 681 Gr 2 689 Gr 3 711 Gr 4 719 Gr 5 734 Gr 6 744 Gr 7 755
	WMTB-66 - _ - _	66" wide wall mount bulletin board tackboard; wood frame with khaki color fabric standard please specify edge option <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	1.25 66 18.5 <i>COM YARDAGE:</i> 2 YARDS	class 125 cwt 15 lb cu ft 1	Gr 1 611 Gr 2 617 Gr 3 633 Gr 4 640 Gr 5 650 Gr 6 657 Gr 7 666	Gr 1 661 Gr 2 666 Gr 3 683 Gr 4 691 Gr 5 702 Gr 6 711 Gr 7 719
	WMTB-48 - _ - _	48" wide wall mount bulletin board tackboard; wood frame with khaki color fabric standard please specify edge option <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	1.25 48 18.5 <i>COM YARDAGE:</i> 1.5 YARDS	class 125 cwt 15 lb cu ft 1	Gr 1 553 Gr 2 557 Gr 3 569 Gr 4 574 Gr 5 582 Gr 6 588 Gr 7 594	Gr 1 597 Gr 2 602 Gr 3 615 Gr 4 620 Gr 5 628 Gr 6 634 Gr 7 642
	TB72-I - _ <i>FACTORY INSTALLED</i>	72" wide tack board khaki color fabric standard use with overhead storage units <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	.75 72 16 <i>COM YARDAGE:</i> 2.5 YARDS		Gr 1 365 Gr 2 373 Gr 3 392 Gr 4 401 Gr 5 413 Gr 6 424 Gr 7 434	Gr 1 395 Gr 2 402 Gr 3 424 Gr 4 433 Gr 5 447 Gr 6 458 Gr 7 469
	TB72-WM - _	72" wide tack board khaki color fabric standard use when mounting directly to a wall <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	.75 72 16 <i>COM YARDAGE:</i> 2.5 YARDS	class 100 cwt 5 lb cu ft 1	Gr 1 365 Gr 2 373 Gr 3 392 Gr 4 401 Gr 5 413 Gr 6 424 Gr 7 434	Gr 1 395 Gr 2 402 Gr 3 424 Gr 4 433 Gr 5 447 Gr 6 458 Gr 7 469
	TB66-I - _ <i>FACTORY INSTALLED</i>	66" wide tack board khaki color fabric standard use with overhead storage units <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	.75 66 16 <i>COM YARDAGE:</i> 2 YARDS		Gr 1 346 Gr 2 351 Gr 3 367 Gr 4 374 Gr 5 384 Gr 6 392 Gr 7 400	Gr 1 373 Gr 2 379 Gr 3 397 Gr 4 403 Gr 5 414 Gr 6 423 Gr 7 432
	TB66-WM - _	66" wide tack board khaki color fabric standard use when mounting directly to a wall <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	.75 66 16 <i>COM YARDAGE:</i> 2 YARDS	class 100 cwt 5 lb cu ft 1	Gr 1 346 Gr 2 351 Gr 3 367 Gr 4 374 Gr 5 384 Gr 6 392 Gr 7 400	Gr 1 373 Gr 2 379 Gr 3 397 Gr 4 403 Gr 5 414 Gr 6 423 Gr 7 432
	TB-48 - _ - _	48" wide wall mount bulletin board tackboard; wood frame with khaki color fabric standard please specify edge option <i>SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS</i>	1.25 48 18.5 <i>COM YARDAGE:</i> 1.5 YARDS	class 125 cwt 15 lb cu ft 1	Gr 1 252 Gr 2 264 Gr 3 272 Gr 4 281 Gr 5 297 Gr 6 299 Gr 7 305	Gr 1 272 Gr 2 285 Gr 3 294 Gr 4 304 Gr 5 321 Gr 6 323 Gr 7 329

fabric on inwood fabric card has been approved for use on tackboards. For **any** other fabrics, it must be approved for tackboards. Call customer service for information.



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
TB-36 - _ - _	36" wide wall mount bulletin board tackboard; wood frame with kahki color fabric standard please specify edge option	1.25	48	18.5	class 125 cwt 15 lb cu ft 1	Gr 1 191 Gr 2 203 Gr 3 211 Gr 4 220 Gr 5 236 Gr 6 241 Gr 7 244	Gr 1 206 Gr 2 219 Gr 3 228 Gr 4 238 Gr 5 255 Gr 6 260 Gr 7 265
	SEE PAGE 472 FOR ADDITIONAL FABRIC OPTIONS				COM YARDAGE: 1.5 YARDS		

